

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	10/384279	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/04 21:11
L2	2	"7127523".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/04 21:19
L5	3	"20030037162"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/04 21:55
L6	7	tsillas.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/04 21:57
L7	2	tsillas.in. and STP	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/04 21:57
L8	12219	709/224.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/04 23:49
L9	4	tsillas.in. and spanning same tree	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/04 23:49
L10	117	8 and spanning same tree	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/04 23:50

L11	1496630	10 and disabl\$3 or clock\$3 or shut\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/04 23:51
L12	4	10 and (disabl\$3 or clock\$3 or shut\$3) same STP	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/04 23:51
S1	52	root adj bridge near identif\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 14:17
S2	52	S1 and spann\$3 near tree	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 14:17
S3	2	S2 and (exchang\$3 near8 (no near assign \$4) or (without) near8 (root adj bridge near identif\$4))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 14:21
S4	2	S2 and (transmit\$6 near8 (no near assign \$4) or (without) near8 (root adj bridge near identif\$4))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 14:23
S5	0	S2 and (transmit\$6 near8 (no near assign \$4) near15 (root adj bridge near identif\$4))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 14:23
S6	0	(communicat\$3 near without near8 root adj bridge adj identif\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 15:40
S7	0	(without near8 root adj bridge adj identif\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 15:40
S8	0	(without near15 root adj bridge near identif\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 15:40

S9	2	(without near15 root near bridge near identif \$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 15:41
S10	0	(exchang\$3 near15 root near bridge near identif\$4 near15 no near tag)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 15:44
S11	0	(exchang\$3 near15 root adj bridge adj identif\$)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 15:51
S12	25	(root adj bridge adj identif\$)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 15:51
S13	25	(root adj bridge adj identif\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 15:51
S14	0	(exchang\$3 near15 root adj bridge adj identif\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 15:51
S15	0	S13 and 709/238.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 15:52
S16	0	S13 and 709/241.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 15:52
S17	363	709/241.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 15:52
S18	3517	709/238.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 15:52

S19	87	S17 and S18	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 15:53
S20	10	S19 and spann\$3 near tree	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 15:53
S21	0	S19 and spann\$3 near tree same root near bridge	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/28 15:53
S22	4348	spann\$3 near tree	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 15:15
S23	2	S22 and (exchang\$3 near8 (no near assign \$4) or (without) near8 (root adj bridge near identif\$4))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 15:16
S24	2	S22 and (exchang\$3 same (without) same (root adj bridge near identif\$4))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 15:19
S25	24	S22 and (exchang\$3 same root adj bridge near identif\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 15:19
S26	0	exchange near messages same spanning near tree same without same root near bridge near identifier	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 15:39
S27	2	exchang\$3 same messages same spanning near tree same without same root near bridg\$1 near identif\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 15:39
S28	4212	spanning adj tree	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 16:00

S29	435	S28 and exchange near4 message\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 16:00
S30	16	S29 and root adj bridge adj identif\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 16:01
S31	2550	S30 and without or no adj ID	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 16:01
S32	2550	S30 and without or (no adj ID)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 16:02
S33	3074116	S30 and without or Ident\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 16:03
S34	16	S30 and without	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 16:03
S35	6	S30 and without same identif\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 16:03
S36	1	10/743554	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 16:50
S37	1	10/357,358	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 17:27
S38	2	"6879594".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 17:32

S39	0	"10743554"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/11 11:47
S40	1	"10/743554"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/11 11:48
S41	0	(reconfigurat\$3 or re- configurat\$3) same (spanning near tree) same (without same (root near (identif\$4 or id)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/19 09:49
S42	0	(reconfigurat\$3 or re- configurat\$3) same (spanning near tree) same ((strip\$3 or remov\$3) same (root near (identif\$4 or id)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/19 09:54
S43	206	(reconfigurat\$3 or re- configurat\$3) same (spanning near tree)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/19 09:54
S44	0	S43 and (strip\$3 or remov\$3) same (root near (identif\$4 or id))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/19 09:55
S45	0	S43 and (strip\$3 or remov\$3 or hid\$3 or cover\$3) same (root near (identif\$4 or id))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/19 09:55
S46	15	S43 and (strip\$3 or remov\$3 or hid\$3 or cover\$3 or without) same (root near (identif \$4 or id))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/19 09:56
S47	1	S43 and phantom near root	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/19 11:04
S48	1	S43 and phantom same root	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/19 11:04

S49	1	S43 and phantom	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/19 11:06
S50	1	S43 and phantom same STP	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/19 11:06
S51	1	S43 and (phantom or vritual) near root same STP	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/19 11:09
S52	1	S43 and (phantom or vritual) near root	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/19 11:10
S53	0	S43 and vritual near root	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/19 11:10
S54	0	S43 and vritual near5 root	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/19 11:10
S55	0	S43 and vritual same root	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/19 11:10
S56	2	"6940825".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/19 11:15
S57	32	S43 and (deattach\$3 or strip\$3 or remov\$3 or hid\$3 or cover\$3 or block\$3 or without) same (root near (identif \$4 or id))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/19 12:28
S58	0	"10743554"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/04 14:48

S59	1	"10/743554"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/11/04 14:48
S60	4787655	MPLS and disable or enable or shut or block with spanning adj3 tree adj3 protocol or algorithm	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/04 15:05
S61	39	MPLS and (disable or enable or shut or block) with spanning adj3 tree adj3 (protocol or algorithm)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/04 15:05
S62	17	S61 and (disabl\$3 same (spanning near tree))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/11/04 15:07

EAST Search History (Interference)

< This search history is empty >

11/ 4/ 2010 11:52:01 PM

H:\ Workspaces\ 10743554.wsp